

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3986	(generat\$6 or creat\$6 or construct\$6 or build\$6) near6 (schema or (xml adj document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:27
L2	451	1 and schema with (relational adj (database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:07
L3	322	1 and schema near4 (relational adj (database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:07
L4	25	3 and dtd and (metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:28
L5	21	((generat\$6 or creat\$6 or construct\$6 or build\$6) near3 schema) same (relational adj (database or (data adj base))) same (metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:18
L6	409	((generat\$6 or creat\$6 or construct\$6 or build\$6) near3 schema) and (relational adj (database or (data adj base))) and (metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:26
L7	122	6 and schema near5 (relational adj (database or (data adj base))) and (metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:19
L8	41	7 and (relational adj (database or (data adj base))) with (metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:19
L9	298	((generat\$6 or creat\$6 or construct\$6 or build\$6) adj3 schema) and (relational adj (database or (data adj base))) and (metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:27

L10	112	9 and ((generat\$6 or creat\$6 or construct\$6 or build\$6) near3 schema) and (xml adj document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:32
L11	62	10 and dtd and (metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:28
L12	112	9 and (xml adj document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:40
L13	66	9 and (xml and dtd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:40

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4506	(generat\$6 or creat\$6 or construct\$6 or build\$6) near2 (schema or metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:16
L2	3143	(generat\$6 or creat\$6 or construct\$6 or build\$6) adj2 (schema or metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:40
L3	270	2 and xml and dtd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:14
L4	239	3 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:14
L5	120	3 and relational adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:16
L6	60	5 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:16
L7	27573	"707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:16
L8	1449	7 and ((generat\$6 or creat\$6 or construct\$6 or build\$6) with schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:17
L9	922	8 and relational adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:18

L10	748	9 and schema with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:19
L11	369	10 and (schema with relational with (database or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:21
L12	184	11 and (generat\$6 or creat\$6 or construct\$6 or build\$6) adj2 (schema or metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:40
L13	141	11 and (generat\$6 or creat\$6 or construct\$6 or build\$6) adj2 schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:40